

RSP Compliance Process Version 1.0

06 February 2017

This is a Non-binding Permanent Reference Document of the GSMA

Security Classification: Non-confidential

Access to and distribution of this document is restricted to the persons permitted by the security classification. This document is confidential to the Association and is subject to copyright protection. This document is to be used only for the purposes for which it has been supplied and information contained in it must not be disclosed or in any other way made available, in whole or in part, to persons other than those permitted under the security classification without the prior written approval of the Association.

Copyright Notice

Copyright © 2017 GSM Association

Disclaimer

The GSM Association ("Association") makes no representation, warranty or undertaking (express or implied) with respect to and does not accept any responsibility for, and hereby disclaims liability for the accuracy or completeness or timeliness of the information contained in this document. The information contained in this document may be subject to change without prior notice.

Antitrust Notice

The information contain herein is in full compliance with the GSM Association's antitrust compliance policy.

1.0 Page 1 of 11

Table of Contents

| 1 | Intro | duction | 3 |
|-----|--------|---|----|
| | 1.1 | Overview | 3 |
| | 1.2 | Scope | 3 |
| | 1.3 | Intended Audience | 3 |
| | 1.4 | Definition of Terms | 3 |
| | 1.5 | Abbreviations | 4 |
| | 1.6 | References | 4 |
| | 1.7 | Conventions | 4 |
| 2 | Com | pliance Process | 4 |
| 3 | Basic | : Compliance Level | 5 |
| | 3.1 | Device | 5 |
| | 3.1.1 | Functional compliance | 5 |
| | 3.2 | eUICC | 6 |
| | 3.2.1 | Functional compliance | 6 |
| | 3.2.2 | Security validation | 6 |
| | 3.2.3 | eUICC Manufacturing Site Security | 6 |
| | 3.3 | SM-DP+ | 6 |
| | 3.3.1 | Functional compliance | 6 |
| | 3.3.2 | SM-DP+ Operation or implementation Security | 7 |
| Ann | ex A | Basic compliance - Self Declaration | 8 |
| | A.1 | Organisation Information Form | 8 |
| | A.2 | Device Self Declaration Form | 8 |
| | A.3 | eUICC Self Declaration Form | 8 |
| | A.4 | SM-DP+ Self Declaration Form | 8 |
| Ann | ex B | Basic Compliance Graphical representation (Informative) | 9 |
| Ann | ex C | Summary of Documentation for each Product Compliance Levels | |
| | (Infor | mative) | 10 |
| | C.1 | Basic Compliance Level Documentation | 10 |
| Ann | ex D | Document Management | 11 |
| | D.1 | Document History | 11 |
| | Othe | ^r Information | 11 |

V1.0 Page 2 of 11

1 Introduction

1.1 Overview

This document provides a description of the process and procedures that MUST be followed to declare a product, platform or service to be compliant with the GSMA requirements and technical specifications defined in SGP.21 [1] and SGP.22 [2].

1.2 Scope

The aim of this document is to define a common per product type framework within which an RSP product's compliance declaration can be achieved.

1.3 Intended Audience

Technical experts and product approval experts working within operators, eUICC manufacturers, device manufacturers, standards organisations, network infrastructure vendors, service providers, test industry and other industry organisations.

1.4 Definition of Terms

| Term | Description |
|---------------------------|--|
| | As defined in RFC.5280 [6] or GlobalPlatform specifications |
| | Identifies its issuing certification authority |
| Certificate (Public Key) | Names or identifies the subscriber of the certificate |
| Octimicate (1 ubile recy) | Contains the subscriber's public key |
| | Identifies its operational period |
| | Is digitally signed by the issuing certification authority. |
| Device | User equipment used in conjunction with an eUICC to connect to a mobile network. E.g. a tablet, wearable, smartphone or handset. |
| | A removable or non-removable UICC which enables the remote |
| eUICC | and/or local management of profiles in a secure way. |
| | Note: The term originates from "embedded UICC |
| Evidence Check | The process where GSMA confirms the reception and validity of the Evidence Documentation received by the RSP Product Vendor. |
| Evidence Documentation | Portfolio of evidence conveying product compliance that is submitted to the GSMA for assessment. |
| RSP Product Vendor | The manufacturer of the eUICC, Device or the provider of SM-DP+ (Subscription Manager Data Preparation) or SM-DS (Subscription Manager Data Services) |
| Subscription Manager Data | This role prepares profile packages, secures them with a profile protection key, stores profile protection keys in a secure manner and the protected profile packages in a profile package repository, and allocates the protected profile packages to specified EIDs. |
| Preparation+ (SM-DP+) | The SM-DP+ binds Protected Profile Packages to the respective EID (eUICC-ID) and securely downloads these bound profile packages to the LPA (Local Profile Assistant) of the respective eUICC. |

V1.0 Page 3 of 11

| Term | Description | | |
|--------------------------|--|--|--|
| Subscription Manager | This is responsible for providing addresses of one or more SM- | | |
| Discovery Server (SM-DS) | DP+(s) to a LDS, (Local Discovery Service) | | |

1.5 Abbreviations

| Abbreviation | Description |
|--------------|---|
| EID | Embedded Universal Integrated Circuit Card Identification |
| eUICC | Embedded Universal Integrated Circuit Card |
| EUM | eUICC manufacturer |
| LDS | Local Discovery Service |
| LPA | Local Profile Assistant |
| PRD | Permanent Reference Document |
| RSP | Remote SIM Provisioning |
| SAS | GSMA Security Accreditation Scheme |
| SM-DP | Subscription Manager Data Preparation |
| SM-DS | Subscription Manager Data Services |
| UICC | Universal Integrated Circuit Card |

1.6 References

| Ref | Document Number | Title |
|-----|------------------------|---|
| [1] | GSMA PRD SGP.21 | RSP Architecture Specification v2.0 |
| [2] | GSMA PRD SGP.22 | RSP Technical Specification v2.0 |
| [3] | RFC2119 | "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner http://www.ietf.org/rfc/rfc2119.txt |
| [4] | GSMA PRD FS.04 | Security Accreditation Scheme for UICC Production – Standard V7.0 |
| [5] | GSMA PRD FS.08 | GSMA SAS Standard for Subscription Manager Roles v2.0 |
| [6] | RFC.5280 | Internet X.509 PKI Certificate and CRL Profile |

1.7 Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC2119 [3].

2 Compliance Process

The compliance process is a set of steps to be followed by an RSP Product Vendor willing to declare compliance against the RSP-relevant specifications. Upon accepted declaration, the product vendor will be issued a Certificate from a GSMA Certificate issuer, if required for the type of product declared.

V1.0 Page 4 of 11

The following steps SHALL be followed when a RSP Product Vendor wishes to declare a product, platform or service compliance against the RSP-relevant specifications.

- Submission: The RSP Product Vendor SHALL supply the appropriate compliancy Evidence Documentation for the sought level of product compliance as described in the following sections.
- 2. **Evidence Check**: The GSMA SHALL confirm the receipt, validity of the Evidence Documentation received and thus whether or not compliancy has been achieved.
- 3. **Certificate Request**: The RSP Product Vendors MAY then request the required Certificate(s) from a GSMA appointed Certificate issuer.
- 4. **Request Validation**: The GSMA's appointed Certificate issuer will check with the GSMA if the Certificate(s) can be issued to this particular RSP Product Vendor.
- 5. **Certificate Issuance**: Upon receipt of the GSMA vendor validation the appropriate Certificate(s) will be issued to the RSP Product Vendor.

Step 3, 4 and 5 are only applicable for eUICC and SM DP+ Product Vendors.




Figure 1: Compliance Process with time estimation

3 Basic Compliance Level

Basic compliance is a compliance process for RSP Products coming to market before the availability of specific/dedicated means to declare compliance against SGP.21[1] and SGP.22 [2].

This section contains a description of the details required to submit a declaration of a product claiming Basic Compliance against the RSP-relevant specifications.

There are 3 types of RSP products that can be declared for Basic Compliance; these are the Device, the eUICC, and the SM-DP+ (Subscription Manager Data Preparation).

3.1 Device

3.1.1 Functional compliance

The functional compliance of RSP Device products will be declared by submitting the Device self declaration form as described in Annex A.2.

V1.0 Page 5 of 11

3.2 eUICC

3.2.1 Functional compliance

The functional compliance of RSP eUICC products will be declared by submitting the eUICC self declaration form as described in Annex A.3.

3.2.2 Security validation

The security validation of RSP eUICC products will be declared by submitting the eUICC self declaration form as described in Annex A.3.

3.2.3 eUICC Manufacturing Site Security

The eUICC manufacturing site security compliance will be declared by submitting the Security Accreditation Scheme for UICC Production (SAS-UP) [4] Certificate number. The scope of certification MUST include processing of data for subscription management. More information about SAS is available at www.gsma.com/sas.

3.3 SM-DP+

3.3.1 Functional compliance

The functional compliance of RSP SM-DP+ products will be declared by submitting the SM-DP+ self declaration form as described in Annex A.4.

V1.0 Page 6 of 11

3.3.2 SM-DP+ Operation or implementation Security

The SM-DP+ operation security compliance will be declared by submitting the Security Accreditation Scheme for Subscription Manager Roles (SAS-SM) [5] Certificate number. The scope of certification MUST include SM-DP+ functions. If such certification is not yet available from the GSMA, the SM-DP+ provider MAY be certified against SM-DP functions (as specified for M2M). More information about SAS is available at www.gsma.com/sas. Interim Compliance Level

V1.0 Page 7 of 11

Annex A Basic compliance - Self Declaration

This section contains two type of documents:

- The organisation information form (section A.1)
- Dedicated forms for self-declaration (sections A2, A3 and A4).

The above mentioned documents needs to be issued by the RSP Product Vendor, or by the person responsible for placing the product to the market.

All the forms in this section need to be submitted to RSPTeam@gsma.com

A.1 Organisation Information Form

This form is a generic form to identify the type of organisation and to identify the person in charge of providing this information to the GSMA.

This form needs to be completed by all the RSP Product Vendors together with the appropriate self-declaration form.

A.2 Device Self Declaration Form

This form is the template to be completed by the Device manufacturer when declaring compliance with the RSP-relevant specifications.

This form needs to be completed by Device manufacturers only.

A.3 eUICC Self Declaration Form

This form is the template to be completed by the EUM (eUICC manufacturer) when declaring compliance with the RSP-relevant specifications.

This form needs to be completed by EUMs only.

A.4 SM-DP+ Self Declaration Form

This form is the template to be completed by the SM-DP+ provider when declaring compliance with the RSP-relevant specifications.

This form needs to be completed by SM-DP+ providers only.

V1.0 Page 8 of 11

Annex B Basic Compliance Graphical representation (Informative)




Figure 2: Basic Compliance Graphical representation

V1.0 Page 9 of 11

Annex C Summary of Documentation for each Product Compliance Levels (Informative)

C.1 Basic Compliance Level Documentation

| | Device | eUICC | SM-DP+ |
|---|-------------|--|--|
| Organisation Information | Form in A.1 | Form in A.1 | Form in A.1 |
| Function Compliance | Form in A.2 | Form in A.3 | Form in A.4 |
| eUICC Manufacturing or site Security | NA | GSMA SAS-UP Certificate number for M2M | NA |
| SM-DP+ Operation or implementation Security | NA | NA | GSMA SAS-SM Certificate number for M2M |

All the above documentation need to be submitted to RSPTeam@gsma.com

V1.0 Page 10 of 11

Annex D Document Management

D.1 Document History

| Version | Date | Brief Description of Change | Approval Authority | Editor / Company |
|---------|-----------------------------|---|-----------------------|--------------------------|
| V1.0 | 6 th Feb 2017 | Initial version of SGP.24 V1.0 RSP Compliance Products | RSPLEN/PSMC | Gloria Trujillo, GSMA |

Other Information

| Туре | Description |
|------------------|-----------------|
| Document Owner | Gloria Trujillo |
| Editor / Company | GSMA |

It is our intention to provide a quality product for your use. If you find any errors or omissions, please contact us with your comments. You may notify us at prd@gsma.com

Your comments or suggestions & questions are always welcome.

V1.0 Page 11 of 11