



RSP Compliance Process

Version 2.4

30 June 2021

This Industry Specification is a Non-Binding Permanent Document of the GSMA

Security Classification: Non-confidential

Access to and distribution of this document is restricted to the persons permitted by the security classification. This document is subject to copyright protection. This document is to be used only for the purposes for which it has been supplied and information contained in it must not be disclosed or in any other way made available, in whole or in part, to persons other than those permitted under the security classification without the prior written approval of the Association.

Copyright Notice

Copyright © 2021 GSM Association

Disclaimer

The GSM Association ("Association") makes no representation, warranty or undertaking (express or implied) with respect to and does not accept any responsibility for, and hereby disclaims liability for the accuracy or completeness or timeliness of the information contained in this document. The information contained in this document may be subject to change without prior notice.

Compliance Notice

The information contain herein is in full compliance with the GSM Association's antitrust compliance policy.

This Permanent Reference Document is classified by GSMA as an Industry Specification, as such it has been developed and is maintained by GSMA in accordance with the provisions set out in GSMA AA.35 - Procedures for Industry Specifications.

Table of Contents

1	Introduction	3
1.1	Overview	3
1.2	Scope	3
1.3	Intended Audience	3
1.4	Definition of Terms	3
1.5	Abbreviations	4
1.6	References	4
1.7	Conventions	5
2	Compliance Overview	5
3	Compliance Declarations	5
3.1	Compliance Maintenance	6
4	Compliance Requirements	7
4.1	Site Security Requirements	7
4.1.1	Specific Considerations for eUICC	7
4.2	Product Security Requirements (eUICCs only)	8
4.3	Functional Compliance Requirements	9
4.3.1	Functional Compliance via Industry Partner Certification Schemes	9
4.3.2	Functional Compliance via Vendor Defined Test Plan	10
5	eSIM Digital Certificates (PKI)	11
5.1	Specific Considerations for eUICC Certificates	11
Annex A	Declaration Templates	12
Annex B	VOID	12
Annex C	eSIM Certification Applicability (Normative)	13
Annex D	Document Management	21
D.1	Document History	21
D.2	Other Information	23

1 Introduction

1.1 Overview

This document describes the common set of compliance requirements by which Remote SIM Provisioning (eSIM) products can demonstrate and declare compliance with the GSMA Consumer eSIM Architecture and Technical PRDs; SGP.21 [1] and SGP.22 [2].

Specific requirements to declare compliance are described according to the eSIM product or service, and include the following:

- Functional compliance to GSMA's Consumer eSIM PRDs,
- Product security; both platform (hardware) and specific eUICC security requirements,
- eUICC production site security, referencing GSMA's SAS-UP audit scheme
- Subscription Management server site security, referencing GSMA's SAS-SM audit scheme

eSIM compliance is an eligibility pre-requisite for the issuance of the X.509 PKI certificates used in Consumer eSIM authentication to eUICC manufacturers and subscription management service providers.

This version of SGP.24, including its associated annexes, supersedes previous versions, as detailed in Annex C.

1.2 Scope

The requirements within this document are applicable to the following Products:

1. Devices supporting an LPA in the device (LPA_d) or LPA in the eUICC (LPA_e)
2. eUICC, with or without an LPA
3. SM-DP+ and SM-DS providing a Subscription Management service

1.3 Intended Audience

Consumer eSIM product vendors, telecom service providers, test and certification bodies, and other industry organisations working in the area of eSIM.

1.4 Definition of Terms

Term	Description
Digital Certificate (Public Key)	As defined in RFC.5280 [9] or GlobalPlatform specifications Identifies its issuing certification authority Names or identifies the subscriber of the certificate Contains the subscriber's public key Identifies its operational period Is digitally signed by the issuing certification authority.
Evidence Documentation	Evidence of product compliance to the requirements detailed within this document.
eSIM Product	eUICC, SM-DP+ (Subscription Manager Data Preparation), SM-DS (Subscription Manager Discovery Services) and Devices that are designed to support the GSMA defined Remote SIM Provisioning feature.

Term	Description
eSIM Product Vendor	The manufacturer or service provider of an eSIM Product
Type Allocation Code	Initial eight-digit portion of the 15-digit IMEI used in 3GPP mobile devices

1.5 Abbreviations

Abbreviation	Description
EID	eUICC identifier
eUICC	Embedded UICC
eSA	eUICC Security Assurance
eSIM	General term used to describe GSMA remote SIM provisioning
EUM	eUICC manufacturer
IMEI	International Mobile Equipment Identity
LPA	Local Profile Assistant
PRD	Permanent Reference Document
eSIM	Remote SIM Provisioning
SAS	GSMA Security Accreditation Scheme
SAS-SM	SAS for Subscription Management
SAS-UP	SAS for UICC Production
SM-DP+	Subscription Manager Data Preparation +
SM-DS	Subscription Manager (Root or Alternative) Discovery Service
TAC	Type Allocation Code

1.6 References

Refer to the eSIM Certification Applicability table in Annex C of this document to identify the valid versions(s).

Ref	Document Number	Title
[1]	GSMA PRD SGP.21	eSIM Architecture Specification
[2]	GSMA PRD SGP.22	eSIM Technical Specification
[3]	GSMA PRD SGP.23	eSIM Test Specification
[4]	GSMA PRD SGP.25	eUICC for Consumer Devices Protection Profile
[5]	GSMA PRD FS.04	Security Accreditation Scheme for UICC Production – Standard
[6]	GSMA PRD FS.08	GSMA SAS Standard for Subscription Manager Roles
[7]	GSMA PRD SGP.14	GSMA eUICC PKI Certificate Policy
[8]	RFC 2119	“Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner http://www.ietf.org/rfc/rfc2119.txt
[9]	RFC 5280	Internet X.509 PKI Certificate and CRL Profile
[10]	GSMA PRD SGP.06	eUICC Security Assurance Principles
[11]	GSMA PRD SGP.07	eUICC Security Assurance Methodology

Ref	Document Number	Title
[12]	SGP.24 V2.2 eSIM Application Note	Application Note: SM-DP+ behaviour on version interoperability and extensibility
[13]	GSMA PRD AA.35	Procedures for Industry Specifications Product
[14]	GSMA PRD SGP.08	Security Evaluation of Integrated eUICC
[15]	eUICC Profile Package	Trusted Connectivity Alliance (TCA) eUICC Profile Package: Interoperable Format Technical specification
[16]	TCA Test	Trusted Connectivity Alliance (TCA) eUICC Profile Package: Interoperable Format Test Specification

1.7 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in RFC2119 [8].

2 Compliance Overview

The GSMA Consumer eSIM architecture PRD, SGP.21 [1], specifies the high level security and functional requirements for eSIM Product compliance. The eSIM Technical Specification, SGP.22 [2], provides the technical description of the eSIM architecture, and is the technical reference for test and compliance requirements.

Compliance is essential for interoperability within the Consumer eSIM network. This document provides the framework within which:

- eUICC, SM-DP+ and SM-DS requiring eSIM PKI certificates for eSIM operation can demonstrate the prerequisite functional and security compliance to the Consumer eSIM requirements.
- An eSIM Device can demonstrate functional compliance to the Consumer eSIM requirements.

The expected means to demonstrate compliance are detailed in this document, together with the declaration templates to be used for an SGP.24 declaration.

Specific references for all compliance requirements can be found in Annex C, categorised as either “Site Security Requirements”, “Product Security Requirements” or “Functional Requirements”.

It is recommended to refer to Annex C when planning a product or service compliance in order to identify the validity and applicability of referenced specifications and requirements.

3 Compliance Declarations

To declare compliance with SGP.24, the product shall:

- Be compliant with the technical requirements defined in the GSMA PRD SGP.21 [1] and GSMA PRD SGP.22 [2].
- Have demonstrated its compliance using the means described in SGP.24, and its Annex C.

The compliance declaration templates are in Annex A of this document, and shall be submitted to RSPCompliance@gsma.com for verification once all compliance requirements have been met. The Compliance declaration comprises:

- Completed template Annex A.1: the Product Declaration, which also provides details of the organisation responsible for the declaration,
- Completed template Annex A.2 or A.3 or A.4 or A.5 (as applicable): the compliance details of the declared eSIM Product or service.

The GSMA turnaround time for issuing a confirmation of compliance declaration is 2 working days.

Product type	Product Declaration	Details of Security Compliance	Details of Functional Compliance
Device	Annex A.1	n/a	Annex A.2
eUICC	Annex A.1	Annex A.3	Annex A.3
SM-DP+	Annex A.1	Annex A.4	Annex A.4
Alt SM-DS	Annex A.1	Annex A.5	Annex A.5

Table 1: Compliance declaration templates

3.1 Compliance Maintenance

A compliance declaration is an indication of:

- the initial compliance of the product, at the time of declaration,
- the ongoing compliance of the product, including any hardware or software updates affecting eSIM features.

A new declaration (i.e. latest SGP.24 template) is to be submitted for any changes to eSIM product e.g. change in eSIM features.

An updated declaration (i.e. update of the initial SGP.24 declaration made for the product) is required for SAS related production changes – e.g. the addition of a new SAS site for the production of the product.

In either case, the declaration will be verified to check the product has demonstrated compliance using the applicable version of SGP.24 (i.e. the initial or latest version) according to the reason for compliance maintenance.

It is to be noted that an updated declaration containing the additional test in SGP.24 V2.2 eSIM Application Note [12] will be annotated as such within the InfoCentre database for eSIM compliance products. The SGP.24 V2.2 eSIM Application Note [12] needs to be applicable to any SM-DP+ product using active SGP.23 [3] versions prior to version 1.8.

Changes to a compliant product that result in it no longer being compliant to the initially declared specifications shall be notified to the GSMA with a request for compliance to be withdrawn. As a consequence, GSMA will remove the declaration from its InfoCentre data.

4 Compliance Requirements

The compliance requirements are derived from the GSMA SGP.21 [1] eSIM Architecture specification. This section details these requirements and their applicability to eSIM product as:

- Site security requirements for eUICC production sites and Subscription Management service sites,
- Product security requirements (eUICC only),
- Functional requirements, including interoperability.

4.1 Site Security Requirements

All eUICC production sites and all SM-DP+ and SM-DS service sites used in GSMA eSIM must hold a valid site security accreditation for the entire time they are being used for eUICC production or Subscription Management service provision.

Accreditation is from the GSMA Security Accreditation Scheme (SAS). Further details can be found on the GSMA's [SAS](#) webpage.

The SAS-UP or SAS-SM certificate reference shall be included in the compliance declaration for an eUICC (annex A.3), SM-DP+ (annex A.4) or SM-DS (annex A.5).

Product type	SAS requirement		Compliance requirement
	Scheme	Required Scope	
eUICC	SAS-UP	<ul style="list-style-type: none"> • Management of PKI certificates • Generation of data for personalisation • Personalisation 	Provisional or Full certification
SM-DP+	SAS-SM	<ul style="list-style-type: none"> • Data centre operations & management • Data Preparation + 	Provisional or Full certification
SM-DS	SAS-SM	<ul style="list-style-type: none"> • Data centre operations & management • Discovery Service 	Provisional or Full certification

Table 2: Operational Security Compliance requirements per product type

4.1.1 Specific Considerations for eUICC

All SAS-UP scope requirements must be fulfilled; either at the same production site or at multiple production sites, according to the SAS accredited production arrangements for the eUICC.

- Details of all manufacturing sites used in the production of the eUICC shall be provided in its Annex A.3 declaration, clearly identifying the SAS scope for each site,
- All three SAS scope requirements shall be covered by the eUICC production site(s),
- The organisation and site intending to apply for the Digital (PKI) Certificate from the GSMA Root CI shall:
 - be named on the Annex A.1 declaration for the eUICC
 - have Management of PKI Certificates within its SAS-UP accreditation scope

4.2 Product Security Requirements (eUICCs only)

A protection profile has been developed for eUICC software implementing the GSMA eSIM architecture for Consumer Devices. The protection profile is published as GSMA PRD SGP.25 [4], and registered as a Protection Profile by BSI, reference BSI-CC-PP-0100.

eUICC security evaluations are expected to include:

- the complete Target of Evaluation defined in SGP.25 [4]
- the secure IC platform and OS
- the runtime environment (for example Java card system)

The IC/hardware platform on which the eUICC is based shall be certified to either PP-0084 or PP-0035

The Common Criteria certificates or certificate references (www.commoncriteriaportal.org/products) shall be included in the declaration as evidence of product security compliance.

Product type	Product Security Requirement	Compliance requirement
Discrete eUICC	Security IC Platform Protection Profile with Augmentation Package Certification (PP-0084) or Security IC Platform Protection Profile, Version 1.0 (PP-0035)	Common Criteria certified and listed, or scan of certificate attached.
	Security evaluation reflecting the security objectives defined in SGP.25 [4], with resistance against high level attack potential. See Annex A.3 for permitted methodologies. Testing to be performed at a SOG-IS lab, accredited in the Smartcards & similar devices technical domain.	Refer to Annex A.3, section A.3.4.2

Table 3: Product Security Compliance requirements for Discrete eUICC

Product type	Product Security Requirement	Compliance requirement
Integrated eUICC	Integrated TRE certified following SGP.08 [14] methodology Note: the applicability period of SGP.08 [14] is defined in Annex C.	Common Criteria certified and listed, or scan of certificate attached.
	Security evaluation reflecting the security objectives defined in SGP.25 [4], with resistance against high level attack potential. See Annex A.3 for permitted methodologies. Testing to be performed at a SOG-IS lab, accredited in the Smartcards & similar devices technical domain.	Refer to Annex A.3, section A.3.4.2

Table 4: Product Security Compliance requirements for Integrated eUICC

4.3 Functional Compliance Requirements

Functional compliance is a requirement for all eSIM Products to assure correct operation. The eSIM Test Specification, SGP.23 [3], provides details of all applicable interface and procedural testing.

Each test in SGP.23 [3] can be mapped to a specific set of requirements in the eSIM Technical Specification, SGP.22 [2].

To demonstrate product functional compliance to SGP.22 [2], an eSIM Product shall successfully pass all tests applicable to its supported eSIM capability. The permitted, product dependent, test methodologies are:

- Functional testing via industry partner certification schemes (for eUICC and Devices),
- Functional testing via vendor implemented test methodologies referencing SGP.23 [3] tests (for SM-DP+ and SM-DS).

4.3.1 Functional Compliance via Industry Partner Certification Schemes

eSIM Compliance test programmes have been established by industry certification schemes GlobalPlatform, GCF and PTCRB. These provide the required means of test for eUICCs and Devices, referencing the SGP.23 [3] test requirements.

eUICC (annex A.3) and devices (annex A.2) are judged to have met the eSIM functional compliance requirement for a named product if they have a valid, product specific, certification reference from either Global Platform, GCF or PTCRB.

Product	Functional test organisation	Compliance requirement (see Annex C for details)	Link to industry certification scheme
Device	GCF	GCF Certification including eSIM	GCF
		GCF eSIM Standalone certification	GCF
	PTCRB	PTCRB Certification including eSIM	PTCRB
eUICC	GlobalPlatform,	GP Product Qualification to: (1) GSMA eUICC Consumer functional test suite (2) SIMalliance Interoperable Profile' test suite (eUICC Profile Package [14])	GlobalPlatform

Table 5: Functional compliance via GSMA industry certification scheme partners

4.3.2 Functional Compliance via Vendor Defined Test Plan

Permitted for Subscription Management products (SM-DP+ and SM-DS). The vendor specified test plans shall reference all SM-DP+/SM-DS tests from the eSIM test specification, SGP.23 [3]. Annex A.4 and Annex A.5 provide further details.

Product type	Vendor specified test plan permitted	Reference
SM-DP+	Yes	SGP.23 [3]
Alt SM-DS	Yes	SGP.23 [3]

Table 6: Functional compliance via Vendor defined test plan

5 eSIM Digital Certificates (PKI)

GSMA eSIM uses a Public Key Infrastructure (PKI) Digital Certificate to authenticate the following eSIM system entities that have been confirmed as SGP.24 compliant:

- eUICC
- SM-DP+
- SM-DS

Digital Certificates are issued and managed in accordance with GSMA's PKI Certificate Policy, SGP.14 [9]. Digital Certificate issuance to SGP.24 compliant product is operated on a commercial basis by GSMA appointed Root CIs.

5.1 Specific Considerations for eUICC Certificates

The manufacturer of an SGP.24 compliant eUICC is eligible to request an *EUM certificate* from the GSMA CI. The issued EUM certificate can be used by the eUICC manufacturer to generate subCA certificates, as needed, to facilitate mass production of the declared eUICC.

An issued EUM (PKI) certificate for the initially declared eUICC product is also allowed to be used with additional eUICC product(s). The following provisions apply:

- A new SGP.24 declaration shall be submitted for each additional eUICC product intending to re-use an EUM certificate,
- The additional product reusing a certificate shall:
 - Be designed to the same major version of SGP.22 [2] as the initial eUICC,
 - Have its own evidence of GlobalPlatform functional compliance,
 - Have its own evidence of security evaluation using a GSMA approved methodology valid at the time of declaration (as identified in SGP.24 Annex C),
 - Be manufactured at a SAS accredited site.

A new/updated SGP.24 declaration shall be submitted for any change of SAS site(s) intended to be used to manufacture of a declared product.

Annex A Declaration Templates

An eSIM Product declaration consists of Annex A.1 plus either Annex A.2, A.3, A.4 or A.5, according to the product type. Refer to the SGP.24 zip file for the following Annex A templates:

- A.1 eSIM Product Declaration
- A.2 Details of Declared Device
- A.3 Details of Declared eUICC
- A.4 Details of Declared SM-DP+
- A.5 Details of Declared SM-DS

Annex B VOID

Annex C eSIM Certification Applicability (Normative)

This Annex identifies the current requirements and specification versions for Consumer eSIM compliance declarations, and includes:

- Security requirements,
- Functional requirements, including means of test.
- Currently recognised exemptions from compliance.

Organisations either planning SGP.24 compliance activities, or interested in the current status of compliance requirements are recommended to reference this table when planning product compliance.

Table C.1 eSIM Certification Applicability

	Reference	Version	Applicability	Current status for compliance	Active from	Expiry Date	Notes
GSMA PRDs	GSMA PRD SGP.24	2.0 (and all previous versions)	All eSIM product	Expired	2018-03-30	2018-12-30	
	eSIM Compliance Process	2.1	All eSIM product	Expired	2019-01-01	2019-09-17	
		2.2	All eSIM product	Expired	2019-09-17	2020-06-12-	
		2.3	All eSIM product	Active	2020-06-12	-	
	GSMA PRD SGP.23	1.x Refer to: https://www.gsma.com/esim/esim-specification/	All eSIM product	Active	-	Refer to: https://www.gsma.com/esim/esim-specification/	

Security Compliance	eSIM Test Specification						
	GSMA PRD SGP.22	2.0	All eSIM product	Expired	2017-02-06	2018-04-30	
		2.1	All eSIM product	Expired	2017-02-27	2019-12-31	
		2.2, 2.2.1 (and later 2.2.x)	All eSIM product	Active	2017-09-01		
		2.3	All eSIM product	Active	2021-06-30		
	GSMA PRD SGP.21	2.0	All eSIM product	Expired	2017-02-06	2018-04-30	
		2.1	All eSIM product	Expired	2017-02-27	2019-12-31	
		2.2	All eSIM product	Active	2017-09-01		
		2.3	All eSIM product	Active	2021-06-30		
	eSIM Core Specification: Technical						
eSIM Core Specification: Architecture							
BSI-CC-PP-0084-2014							
Security IC Platform Protection Profile with Augmentation Packages Certification (PP-0084)	1.0	eUICC	Active	2017-10-16			
BSI-CC-PP-0035-2007							
	1.0	eUICC					

Security IC Platform Protection Profile (PP-0035)						
GSMA PRD SGP.25 Embedded UICC for Consumer Devices Protection Profile	1.0	eUICC	Active Ref Annex A.3.4.2(b) Option 1	2019-11-15		
SGP.24 Annex A.3 section A.3.4.2(b), option 2: Interim methodology – implementation focussed security evaluation	SGP.24 v2.2 Annex A.3	eUICC	Active Ref Annex A.3.4.2(b) Option 2	2019-11-15	Existing product in the field: no expiration if used for the initial security evaluation Existing product variant: 2022-07-31 New product: 2022-01-31 ¹ and ²	See table C.2
GSMA PRD SGP.06 eUICC Security Assurance Principles	1.0	eUICC	Active	2020-07-07		
GSMA PRD SGP.07	1.0	eUICC	Active	2020-07-07		

	eUICC Security Assurance Methodology						
	GSMA PRD FS.04 SAS for UICC production	Refer to: GSMA.com/SAS for details	eUICC	Active	Refer to GSMA.com/SAS		
	GSMA PRD FS.08 SAS for SM roles	Refer to: GSMA.com/SAS for details	SM-DP+/SM-DS	Active	Refer to GSMA.com/SAS		
	GSMA PRD SGP.08 Security Evaluation of Integrated eUICC	1.1	Integrated eUICC	Active	2021-06-30	24 months after publication	Has to be reviewed by 12 months after the publication of the current document. During said review, the Expiry date and its extension will be discussed and accordingly updated. NOTE: The interim methodology defined in SGP.08 [14] can be discontinued before the expiry date if a protection profile for Integrated TRE is adopted by the GSMA.
Functional	Vendor specified RSP Functional test	n/a	SM-DP+	Active	SGP.24v1.0		
			SM-DS	Active	SGP.24v1.0		
	GCF: GCF-CC	Refer to GCF for applicable version(s)	Device	Active	SGP.24v2.0		

GCF RSP Functional Test (Devices)							
Global Platform test suite GP Configuration: eUICC Consumer v2.1 and v2.2 (SGP.22 Spec.) GP Test Suites: - eUICC Consumer SGP.23 Compliance Test Suite (eUICC Consumer SGP.23 Test Spec) - eUICC Consumer - SIMalliance Interoperable Profile Test Suite (TCA Test Spec)	Refer to GP for applicable version(s)	eUICC	Active	SGP.24v2.0		All TCA eUICC Profile Package versions declared in Annex A.3.2 must be covered by the product functional compliance test.	
Permitted Exceptions agreed for SGP.24 declarations	no agreed exceptions in this version of SGP.24						

(1) A SOGIS Laboratory will only accept new eUICC evaluation projects for Interim Methodology until 2021-11-30 (2 months before expiry date of interim evaluation for new products) to ensure the project is completed or on a mature stage before the expiry date of 2022-01-31. GSMA will accept late entrance of New product until 2022-04-30 for New products that can demonstrate that the evaluation project started before 2021-11-30.

(2) In the situation that a project may be delayed, due to exceptional circumstances, the laboratory responsible for Interim Methodology evaluation may request an extension from GSMA.

Table C.2 Product Type Validity Period of ‘Interim methodology’

Product Types	Description	Security Assurance Scheme Allowed	Re-Certification Trigger
Existing product in the field	An eSIM product that is produced and ready to be inserted in a device or is inserted in a device which is being used by an end customer or which is in the supply chain from the factory of the device OEM to a store	Throughout the life cycle of an Existing product in the field: <ul style="list-style-type: none"> • Interim methodology can be used, if it was used originally, assuming updates do not change the initial scope of the product. • eSA scheme whether it was used originally, or not. • SOG-IS CC scheme whether it was used originally, or not. • Certification methodology can be switched at the discretion of the EUM throughout the life cycle of the Existing product in the field. 	Changes accepted as an update of the Existing product in the field (update of declaration required) constituting a re-certification:
Existing product variant	Any eSIM product type with an approved compliance declaration, that has not been inserted in a device in the field (not yet produced)	On creation of a variant of an Existing product: <ul style="list-style-type: none"> • Interim methodology can be used, if it was used originally, for 24 months starting July 2020 and until July 2022, after which only the eSA scheme or SOG-IS CC scheme will be allowed. • eSA scheme; • SOG-IS CC scheme; • Certification methodology can be switched at the discretion of the EUM throughout the life cycle of the Existing product in the field. 	Changes accepted as an update of the Existing product variant (update of declaration required) constituting a re-certification: <ul style="list-style-type: none"> ▪ Updates for functional and/or security issues within the initial scope. ▪ Updates within minor versions of SGP.21 [1] and/or SGP.22 [2] and TCA eUICC Profile Package specifications [15] e.g. <ul style="list-style-type: none"> ○ Consumer (SGP.22 [2]) v2.1 to v2.2 , or ○ TCA eUICC Profile Package [15] v2.2 to v2.3.1. ▪ IC maintenance release of the same IC even if SOG-IS CC certificate is changed or updated. ▪ Non-GSMA related OS modification (example: MNO specific features , telco part

			updates; optimisation and general enhancements).
New product	Any eSIM product with a new IC platform, a new major version of SGP.21/22 spec or new major version of the profile package specification	<p>For the certification of a New product:</p> <ul style="list-style-type: none"> • Interim methodology can be , for 18 months starting July 2020 and until January 2022, after which only the eSA scheme or SOG-IS CC scheme will be allowed. • eSA scheme; • SOG-IS CC scheme; 	<p>Situations in which a certification as a New product is required :</p> <ul style="list-style-type: none"> ▪ Change of the IC platform (new IC type/vendor, new technology). ▪ Support for major updates versions of SGP.21 [1] and/or SGP.22 [2] specification, e.g. SGP.22 [2] v1.2 to v2.1. ▪ Support for major updates versions of the TCA eUICC Profile Package [15] specification e.g. v2.1 to v3.x

Status for Compliance	Description
Active:	Specification or reference that is currently valid for SGP.24 declarations. Where multiple versions of the same specification or reference are active, the certifier shall identify which version has been used.
Planned:	Specification or reference that is under development.
Expired:	Specification or reference that is no longer valid for SGP.24 declarations.
Deprecated:	Specification or reference for which an expiry date has been stated, and will no longer be recognized for GSMA eSIM compliance after the expiry date.
Permitted:	Permitted as an alternative to a mandatory requirement until the indicated expiry date.
Active from:	The start date from when a specification or reference can be used for SGP.24 declaration.
Expiry date:	The last date on which an SGP.24 declaration can reference the specification or reference. Declarations using an expired specification or reference will not be accepted.

Update requests for this annex, including new requirements, transition timing to new requirements, and expiry dates for deprecated requirements, are via the GSMA CR process. Approved CRs will be reflected in an updated version of this document.

For further details, contact: RSPcompliance@gsma.com.

Annex D Document Management

D.1 Document History

Version	Date	Brief Description of Change	Approval Authority	Editor / Company
V1.0	6 th Feb 2017	Initial version of SGP.24 V1.0 eSIM Compliance Products	RSPLEN/PSMC	Gloria Trujillo, GSMA
V1.1	30 th May 2017	Minor revision to SGP.24 V1.1 ESIM Compliance Products	RSPLEN	Gloria Trujillo, GSMA
V2.0	15 th Feb 2018	<p>Introduction of functional testing via industry certification schemes.</p> <p>Addition of IC based PP for eUICC (PP-0084) as an interim PP (hardware only) whilst the SGP.25 PP is under development.</p> <p>Addition of an eSIM Certification Applicability table as the means to manage compliance requirements and spec dependencies.</p> <p>Restructure of document to be requirements centric.</p>	RSPLEN	Valerie Townsend, GSMA
V2.1	7 th Dec 2018	Alignment with SGP.21 and SGP.22 V2.3 specs	RSPLEN	Valerie Townsend, GSMA
V2.2	29 th May 2019	<p>Updated to include the following CRs:</p> <p>RSPCERT39 Doc 7r1: Section 5: align with SAS on PKI reuse</p> <p>RSPCERT39 Doc 8r1: Section 3.1 added on compliance maintenance.</p> <p>RSPCERT39 Doc 13r0: Annex C updated</p> <p>RSPCERT42 Doc 7r0: Section 4.2 and A.3 on security assurance (interim methodology)</p> <p>RSPCERT42 Doc 6r1: Annex C update to security assurance</p>	eSIM Group	Valerie Townsend, GSMA

		<p>RSPCERT42 Doc19r2: editorials</p> <p>RSPCERT43 Doc 8r2: editorials</p> <p>RSPCERT43bis Doc 3r1:updates following working group review.</p> <p>eSIMWG4#1 Doc 018: updates to Section 3.1 and A.3.4.2 (option 2)</p>		
V2.3		<p>CR001R002 Addition of eUICC Assurance Scheme Annex A.3</p> <p>CR004R005 Annex A.4 - Details of SGP.23 testing related to Application Note Issues and check box for revised declaration</p> <p>CR006R001 SGP.24 Introduce GSMA eSA</p> <p>CR007R001 Changes in Annex C</p>	eSIM Group	Gloria Trujillo, GSMA
V2.4	30 June 2021	<p>CR0009R01 Clarification of the SGP.22 V2.2 eSIM Application Note</p> <p>CR0012R01 eUICC Statement of Security Evaluation Completion validity five years</p> <p>CR0013R01 Deadline to commence interim solution evaluations</p> <p>CR0014R01 Add of Integrated eUICC</p> <p>CR0015R00 Evaluation project start and finalisation</p> <p>CR0016R00 Optional SetEditDefaultDpAddr and SetEditNickname</p> <p>CR0017R00 Optional support of downloading PPR to removable eUICC</p> <p>CR0018R02 Change SIMalliance to TCA in SGP.24</p> <p>CR0019R01 Change SIMalliance to TCA in SGP.24 Annex A.3</p> <p>CR0020R00 - Fix in Annex C</p> <p>CR0021R02 eUICC Supporting multiple TCA ePP specs</p>	ISAG	Gloria Trujillo, GSMA

D.2 Other Information

Type	Description
Document Owner	Gloria Trujillo
Editor / Company	GSMA

It is our intention to provide a quality product for your use. If you find any errors or omissions, please contact us with your comments. You may notify us at prd@gsma.com

Your comments, suggestions or questions are always welcome.